



LEED v4 / 4.1 Compliance Information

2022

Company Name – DUR-A-FLEX, INC.


Product Name – DUR-A-GLAZE MVP / MVP³ PRIMERS


Product Type / Classification – RESINOUS FLOORING - 09 67 23


Manufacturing Location – EAST HARTFORD, CT 06108

Expanded Documentation Location – mindful MATERIALS Library / Dur-A-Flex.com

LEED v4.1 BD+C, ID+C

MR Credit Building Product Disclosure and Optimization – Environmental Product Declarations		
Compliant	Yes – Environmental Product Declaration (EPD) Product Specific Type III in accordance with ISO 14025, 14040/44, and 21930:2017	
Third Party Verification	Yes	
Program Operator	UL Environment	
EPD Declaration Number	4790371016.103.1	
Expiration	April 1, 2027	

MR Credit Building Product Disclosure and Optimization – Material Ingredient Reporting		
Compliant	Yes – Health Product Declaration (HPD) v2.2	
Third Party Verification	No	
Program Operator	HPDC	
HPD Unique Identifier	22428	
Expiration	September 28, 2023	

IEQ Credit Indoor Environmental Quality – Low-Emitting Materials		
Compliant	Yes – Indoor Air Quality Evaluation CDPH v1.2-2017	
Program Operator	Intertek	
Test Report Number	104880612GRR-001f	
Expiration	April 28, 2027	
TVOC Values	≤0.5 mg/m ³	
VOC Content (Calculated via EPA 24*)	0 g/L	

**Calculated using EPA Method 24, SCAQMD Method 304-91sec 5, and SCAQMD Rule 1113 sec 28-29 for Calculated Regulatory VOC Values of Resinous Coatings / Resinous Flooring Systems*

220721